This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.



Table 1: Oligonucleotides employed in this study

Oligo- nucleotide	Position	Strand	Nucleotide Sequence
OLF1bA-1	AS 151-156 (LcrD)	+	ATGCC <u>TCGA</u> GG <u>TCGA</u> AAA <u>G</u> CAA <u>G</u> ATG (SEQ ID NO:1)
OLF1bA-2	AS 189-195 (LcrD)	-	<u>GAAATC</u> TTCAT <u>ACTG</u> GC <u>AGCTCCAG</u> TC (SEQ ID NO:2)
OLF1bA-7	515-534	+	<u>CGGGATCC</u> GTGGTTACTAATGGTTCTAC (SEQ ID NO:4)
OLF1bA-8	2092-2111	-	<u>CGGGATCC</u> TCATGGCCTCTTCAGAGACC (SEQ ID NO:5)



Comparison of 43 FNTS scra with regard to: Table 2A

	A17 B T	i														Ë	-	5	9N	·
ſ												NefIBA	بد					٦. دي		9
	HenA	150	C50+H	C30+H	C.Core	œ	P. Stat	0.35	000	100	08	DON 09	-	100	08	S 09	Sero.		DON	9
 5	, de								LDS	╁	╁	╁	\ \ \ \ \	-	-		0.75	-	>928	-
	G	0	_	1	- 170	•	0.70	-	3390	-	+	+	1			-	100	0	v	0
. .	, c	c	0	0	0	c	0.21	0	4	0	_	_	2			+	100	c	9	0
. [: -	,			~	c	0.23	0	9	0	0	0	4	-		+		, -	4	0
	=	-	,			\ c	0.10	٥	4	0	0	0		0	0		70.0	,		c
4	0	0	0	0	*		200	, (2	c	0	0	9	0	0	0	0.08	- -	/7	> \ \
S	С	0	0	0	~	0	0,70	3	: -	, c		-	0	0	0	0	0.01	0		-\
۰		0	0	0	2	0	0.17	2 0	> 3		,	╁	36	0	0	0	0.02	0	13	0
1	2	0	0	0	3	0	0.32	0	14	5	,	╁	2100	-	-	-	1.43	-	>928	1
000	79	0	0	0	137	1	0.57	-	3391		_, ,	+		, -		c	0.05	0	16	0
. .	c	c	6	0	3	0	0.35	1	23	o		+	17	> .	-	,	0.00	c	31	С
. !	,	, -	-	c	-	0	0.34	0	56	0	0	0	4	- -	3		300	C	12	c
2	>	5		, ,	,	,	0,33	=	6.	0	0	_	33	0	0	- -	30.00	3		-
=	0	0	c	0	,	> ,	67.0	,	c	c	c	0	0	0	0	0	0.02	0		-\\.
12	0	0	0	0	С	2	61.0	>	, ;	, ,	-	6	28	c	0	0	0.02	ô	57	2
13	0	0	0	0	-	0	0.19	-	7	, (+		c	0	0	0.02	0	11	0
4	0	0	0	0	3	0	0.25	0	4	5	> \ ,	>	, ,	,	- c	c	0.02	0	7	0
12	0	0	0	0	3	0	0.27	0	4	0	0 0	-	- - ₹		, -	0	0.05	0	- 26	0
19	0	0	0	0	0	0	0.37	-	62	2	= '	- 6	5 ,		-	0	0.03	0	13	0
2	0	0	0	0	-	0	0.22	0	2	0	>	0 (7 0		,	c	0.00	0	18	0
: ≪	c	0	0	0		0	0.25	С	13	0	5	ء ا			,	- C	0.05	0	15	0
2 2	C	-	-	0	0	0	0.27	C	4	0	0	-	-	,		,	200	6	31	С
2 6			, <		-	0	0.21	0	23	c	0	0	12	٥		- ·	200		331	-
3	= ·	> (, <	=	-	0.46	-	54	0		0	204	-	-	1	C. //*			
51	c -	0	0	>	61															

Ñ



ſ			T	- 1			T			ii.			T		0	. 0	0	0.				_	_	0		
	ٔ ر	2		0	-	-			-	-	c	0				_	L		-	+	+		-	-	-	
	Ž	CON	2021	21	>928	>928	:	7	105	359	27	c		4	0	30	∞	2	>928	;	ğ	227	108	4,		
		0.30 T	1	<u> </u>	-	-	-	- -	c	0	0	6	,	0	0	0	0	0	-	٠ ١	0	0	0	-	,	
	<u> </u>	Sero.	+	0.05	0.37	ţ	1.1	0.01	40.0	0.07	0.05	2	10.0	0.01	0.03	0.05	0.02	9	70 0	070	0.04	0.02	0.07	700	0.00	
	_	. w	_	•	ļ°	-	-				\vdash	-	1		-	-	\ \ _c		1.	_	0	_	1-	, ,	-	
		;	8	9	-	1	-	0	-	-	6) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	ء _	_	C	1	+	+	1	-		-	-	+		
			08	0	_	•	-	C	0	-	c) ·	-	0	-	- C	-	+	+	_		-	+	+	4	
			100	0	-	-	_	•	С	_	-		0	0	ļ°	-	1		\dashv	- - -	_	-	+	+		
		3	DON	40	: }	267	3100	20	9	239	:	₹	2	3	-	٤ ر	2 3	»	_	3103	32	l e		8	13	
	MEHOA	TION!	09	c	, ,	_	-	0	-	-		5	0	c	. -	, ,	٠ ٠	=	0	-	٥	-	-		٥	
		1	80	-	 	_		0	-	-	-	5	0	-	,	3 (>	0	0	_	0	<u>-</u>	-	0	С	
			- 00	,	- -	_		0	ء ا	, -	-	0	0	1	> :	-	0	0	0	-	0		-	0	٥	
			PBS	:	2	265	3390	35	3		ce;	792	60	,	, ,	>	42	41	0	463	42	2 9	110	77	23	
;; i	-	7.0		 	_			6	-		-	0	0	,	5	- -	0	0	0	_	-	-	c		0	
gard t	-			+	_	6	2	 -	۱,	١,	e	- 17	000		3	5	0.31	0.23	0.23	0.84	92.0	2	0.22	0.47	0.34	
ith re		ç	F. Mai		0.43	0.49	0.65	0.20	; ; - -	0.2	0.33	0.21	0.20		0.23	0.2	0	اہ	ە —	0	\ \frac{1}{2}	-			-	-
TS sera with regard to:		c	×		0		_	6	, (>	-	0	٥	, 	0	0	0	0	0	-	-	> 	0	_	0	1
3 FNTS		(Coore		-	25	125	6		2	10	7	,	,	2	-	2	-	3	170		4	5	4	4	
Comparison of 43 FNT		:	C30+H	1	0		-	-		0	-	_	-	>	0	0	c	0	0	-		0	0	0	0	
Compari			CS0+H (1	0	0	-		-	0	1	-	-	3	0	0	0	0	0	-	-	0	0	С	0	
				-		_	_	+	+					_	_				-	+	_	0	0			_
Table 2B			150		0	0		, (>	0	0	0	ľ	> -	0	0	0	0	c	-	_	_	_	_	1	_
Tab			HspA		1	0	c	` '	0	0	0	0			-	0	0	0	. 0		1293	0	o	13		
		T	Š		22	g	à	1	25	56	12	28		62	30	31	32	33	34	3	A	36	37) ×	6	;



Comparison of 43 FNTS sera with regard to:

Table 2B (continued)

	_			-	_	_	-		_		-	_		1		
•		í,	3	0		0		-	-		>	-	26.00			
AIA	-	1	NOG	4		99		200	9766	٥	×					
	0.30			C	ì	c	,	,	_		0		٥ ;	14%		
	JLF	Coro	osero.	0.00	30.5	30.0	5.5		1.47		4					
			9	۲			>		,- 4		0		01	23%		
			08	٠	>	,	_ >		_		0		6	21%		
			8	ľ	 	ľ	>		_		_		6	21%		
	3A-		NOG		9		23		3104		v	,				
	N6flBA-		09		c		0		-	,	•	>	12	28%		
			08	T	0		0		-	-	•	- -	ø	, <u>c</u>	21	
		ļ	8		0		0		_	-	٥	> 	۵	10%	2	
			PBS		ĸ		46		0000	3388		_				
		1	0.35		0	1	¢	,	,	_		0	5	71	Q. 67	
			P. Stat		0 10		0.24	ţ		0.59		0.19				
			œ ,	Ì	c	,	c	2				0		20	19%	
			C.Core		·	7		>		170		60				
			C30+H	-	4	>	í	-		0		_		7	16%	
			C50+H		-	 >		0		0		-		9	14%	
			150		ľ	-		0		0		_		1	30%	
			HspA			0		0		c	,	c	>	10. of +	140 E	
			ģ			9		4		42	;	ç	ţ			
	-															

N

5.)




Table 3 19 CBMS sera which are positive by WHITTAKER serology (Pylori Stat)

		1F 2		x]	N6flBA-			N6	
	OD	I Iom A	150	C. Core	8	PBS	80	NOG	60	GLY	NOG	100
No. of Serum	OD	HspA	1 !	33	1	130	1	289	1	494	830	1
1	1.8	0	14 (14)	>80	+++	471	1	3257	1	6587	>928	1
2	2.41	607	1		$\frac{1}{1}$	472	1	3263	1	1183	>928	1
3	2.9	675	1	30	1	156	1	407		825	556	1
4	1.4	146	in the second	42	1		0	81	1	317	276	1
5	1	179	1	44	1	59	Ļ		1	1054	>928	1
6 .	2.6	193	11	>80	1	472	1	3260	<u> </u>			
A	0.7	19		4				8		6600	>928	1
В	2.6	5		>80	1	471	<u> </u>	3255	1		>928	1
C	3.1	1352	1	>80	1	470	1	3246	1	6582	>928	1
D	1.3	3	1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	18	1	121	1	506	1	448		_
E	0.6	7		1	4 (1)	23		45			0	
F	2.1	0			1	139	1	3258	1	280	>928	1
	0.2	0		8		3	10.01	4	dit.		0	
	1.4	25	100	18	1	127	1	176	1	143	159	1 1
	2.3	960		>80	1				1		<u> </u>	
<u>_</u>	1.9	5		38	1	91	1	117	1	57	101	1
K	1.38				$\frac{1}{1}$	88	1	182	1	167	>928	1
	2.98	<u> </u>	1	>80	1	471	1	586	1	943	>928	1
L M	2.86				1	471	1	3256	1	1200	>928	1



AUG 1	1 2004	14:	39	FR	FΙ	NN	ΙEG	ΙΑί	N I	НE	ND	ΕI	RS	ИC	1 2	20	2	40	8	44	100) Т	O,	17	03	3()8(56	42#	P. 07	
					- 	0.30	-1.	-	- 6		-	-		-	0	-	_	-	-	1	-	-	-	c	-		-	_	09/01.	5,07	8
٠.	-			.	-+	-+	0.91	<u>5</u>	0.67	07.0	41.1	1.12	0.74	0.74	0.23	1.73	1.51	0.97	1.34	0.88	0.52	1.69	1.50	0.22	1.21	6.28	0.39	0.33			
. ,4	TIME					0.19/0.27	-	-	-	-	-	-	-	-1	1	-	-	-	-	-	-	-	-	-	-	-		-			
						STAT 0	0.288	0.359	0.377	0.223	0.399	0.302	0.373	0.209	0.245	0.477	0.463	0.505	0.419	0.253	0.204	0.485	0.274	0.257	0.389	0.524	0.362	0.318			
,						.s 8 8	\vdash	-	-	-	-	-	-		-	-	-	1-	. _	-	-	. -	-		-	-	-	_			
					-	<u>်</u> ပ ပြီ	-	55	>160	40	80	62	>160	2	2	>180	081^	8	2 2	4	1 4	×160	8	19	3	091<	04	98		-	
					$\vdash\dashv$	VS=	┝╌	-	-	_		-	-	-	-	-	-	• -			. -	- -			_	-	-	-			
			•		ş	DON	>928	>928	>928	406	>928	>928	>928	403	398	>928	Š	900	9764	829	370	6/6	8207	ž.	×9.28	865	×928	Š			
							 -	-	_	-	-	-	-	-	-	-	1.	-		-	-]-	- -	_ -		- -	4		-	-		
	•				Aflagellate variant N6FIBA	NOG	305	1000	1452	229	870	9/9	1124	\$	<u>ş</u>	27.44	1 3	2007	2720	0/07	430	27	787p	\$ 8	3 5	3.0	080	3 5			
					gellate va	-SV	2 -	-	-	_	-	-	-	-		-	┸	4	_	+	_		- -	- -	\bot	4	- -	- -			
					Afla	PBS	166	×464	7464 404	137	¥64	>464	×464	8	8 8	737	¥04\	X Agy	7464	7464	240	78	7464	123	101	¥04,	7404				
						NS=	OCI .		-		1					100	- -	_	-	- -						-	1				
* 4						HsoA	٥	Ī	1530	2	2135	1	2 2	1=	2 2	7 6	7970	808	663	4580	422	801	+	+	٥	$-\dagger$	~ -	1	es es		
					-	£		. -	+	-	- -	+	+-	- -	- -	+	\dashv	-	-	\dashv	-	-	$-\dagger$	-	-	\dashv		_	-		
					1 2	1118		; -	+-	+-	+	+	+		+	+	+		_		_	0	-	-	_	2	-	_	_		4.
: - 1					Ĥ		-	+						-	_	-	-	0	1	-	-	-	-	-		-	0	-	-	٠	
**						Histo-	∀ 5	01710	3 3	1000	7770	2 6	G230	7775	G220	G212	G320	G222	G231	G331F	G212	GIII	G321	G120	G221F	G233	G333	G323	GZ11F		
			II II	nts	-)gg		+	- -	- -	+-	+	-	+	-†	-	-	_	-	-	-		_	-	1		-	-	-		
•			ulatio	- patie	-		, -	3	2 5	3 3	3 2	3	닭	2	50	2	CDN	ė E	DG	DO	ЭÜ	DO	DO	ďΩ	CDN	ΩΩ	ng	dη	QN		
a Saka 2			Sera of population II	34 Hp+/U+ patients	-	\dagger	+	+	+	-	dyspepsia	dyspepsia	perforation	dyspepsia	dyspepsia	dyspepsia	-1	A(illegible) dyshagia	+-	dyspepsia	EG pepsia	AEG dysnepsia	dyspepsia	dyspepsia	dyspepsia AU	dyspepsia	dyspepsia	un.dyspepsia	perforation		
			Ser	34		- ;	5.	dskp	dysp	desco	dskp	gg	perfo	dyet	dyst	dysi	GOR	A(ill	dys	dys	skb V	dy.	\vdash	dys		-					
							-	\dashv	+	+	-	-	-	~	-+	0 /	7	7 1	-	6 1	9 1	0 2	09	69	1 - 1	72 0	1 04	37 1	41 1		
			Table 4:		}	+	-+	-+	}_	-+			-+	92 22		92 47	94 42	194 57	16/	90 46	794 79	194 67	1	 _ 		1_	ļ	├-			
			Ţ				Date	19/07/91	12/03/92	76/07/61	23/07/93	10/12/91	18/02/94	16/12/92	07/09/94	05/02/92	27/04/94	24/06/94	04/11/91	1	02/03/94	13/01/94	01/07/94	02/02/95	26/10/94	05/09/94	19/06/91	1 07/11/94	5 15/12/94		
1.5					i	- 1	- I	- 1		⊶ l	I	S	~ 1	00	0	~	00	0	1 69	တ	9	1 2	1 2	∞	22	18	8	4	3		

09/015,078



34 Hp+/U+ patients

Ţ	VS=	0.30	_			-				T.	_	_	T	_		T ,	-		Ţ.	_	
-	N H II	-+	1.13		41.0	0.25	-	1.16	0.72	+	0.86	68 0	+	0.51	0.78	1	0.17	1.56	+	0.31	·
	_	0.19/0.27	-	· · · · · · · · · · · · · · · · · · ·							-	-			-	Trees (CEAS)	100	-	1	_	
	a.	STAT	0.256		0.183	0.296		0.394	1960	707.0	0.316	0000	0.250	0.344	0 349		0.168	0.362	700.0	0.369	
	NS=	-+		1	_	-	1	_		-	_	1.	-	-	-		-	-	-	-	
_	U	Š	23	;	73	27	5	>160	1	30	89];	43	117	50		19	8	52	67	
_	=S/A	8	-	-		-	-	_		-	1		_	Ŀ	-	-			-	-	
ž		NOG	700	1	202	100	/85	>928		>928	×028		>928	, 422R		8762	125		>928	350	
FIBA	-3/	, G		-	1			-		-	-	-	_	-	. ,	-		1	_	-	-
Aflacellate variant N6FIBA		SON S	3	384	121		750	958		175	273	1	440	1:		612	171	1	370	777	
sellate va	200	, S		-	_		-	-			-	-	_	-	-	-	-	1	_	-	-
Aflac		PBS		2 2	62		041	>464		96		Į.	>464	1	C/1	384	230		294	11.6	CI.
		- VS=			a		-	_		Artes Saran Saran Saran				1,000		in the second					
		HspA		<u>∞</u>	103	2	313	1335		1111		74	250		2	8	2		21	1	67
-	_	H Hb	1	_	-	-	_	-	-		+	_	-	+	-	_	-		-	+	1
١	Ė	Cult Ure	+	0 0		0	0	-	- - -	_	+		0	+	_	_	-		C	,	
-			+	_	+		_				1		_	+	_	_	-		 -	+	0
L		Giemsa	+	_	+	_		<u> </u>		_	-			-	7	_	1			_	
		Histo.	۲	G110		G221	G121	1	0770	G110		G223	5	7	G222	G321	į	7 5 —	2321	5	G221
		È.	3	_	1	-	-	1	-	_	•	_	ŀ	-	_	-	1	-	-	-	_
		Endos.		an		g	g		Z G G	200	_	9	٤	3	QD.	9		3	+	2	ΔŊ
		Cinical		dyspepsia-	mclaena	dyspepsia	dvenenxia	despensia	VO	dyspepsia.A	됩	perforation		dyspepsia	dyspepsia	dvenchein	4d	dvenensia-K	. newforter	dyspepsia	dyspepsia
		ئ	3	-		-	Ŀ	-	c	ŀ	-		1	_	-	Ŀ	-	_	1	0	
		45.4	780	47	;	39	38	+	46	5	_	24		38	23	=	-	6	+	36	38
		350	Date	20/0/03	C/110167	29/03/93	50/70/00	02/00/20	12/05/93	701.00	08/00/94	22/11/03		17/06/93	22/06/94	LOI SOLSC	45/10/1074	02/06/93		18/02/92	13/05/92
Ì		2	Ó	۶	2	71	3,5	2	28		- -	84		88	8	8	₹	92		66	100


7



Table 5: Sera of population II

27 Hp+/U+ patients

1	_ ≈SA	<u> </u>	-	-	0	1	0	_	-	-	0	-	• •	-	<u>:</u>	<u> </u>	-	<u> </u> -	, '		_	_	\ <u></u>		4
\dashv	J.F.	+-	54.0	0.50	0.05	0.59	0.18	0.42	0.71	0.85	0.15	27.0	2/.0	.gg	0.38	0.92	0.87	2	3	0.26	045	0.63	0.44	>	
-		0.19/0.27			-	_		-	-	1-	-	T.	_	1		_	-		1 SESSEE		-	_			
	>	-+-			8	-	3	-	1 5		, 5	1	_	93	36	-	. 2	5 3	0.325	0.179	0.374	0 222		0.183	
	a.	STAT	0.293	0.377	0.196	0.291	0.233	0.323	143	233	0 237		0.4	0.493	0.336	6	200	7	0	0.1	0	1	- 1	- 1	
	VS=	80	-	1	-	-	-	<u> </u> -		· -	-	4	-	_	_	-	- · - -	-	-	_	-	+		100 mg	
	ن	S	42	>160	22	40	92	\$: 5	5	3 5	6	>160	>160	4	F	* <u>;</u>	4	ই	28		1	-	00	
-	=S/A	9	-	-	_	-	-	. ا	- -	- .	- -	-	_	-	-	. -	-	-	-	_	-	· ·	-	- -	
92		DON	>928	>928	480	86	324	900	9764	8762	826	87.K	≻928	>928	36	0764	828	×928	>928	251	ş		82.5%	254	
A B	13/	9		-	1	-		•			-	-	-1	-	-	-	_	-	<u></u>	_	-	-	-	_	ı
Affice lists variant N6FIBA		NOG	884	1896	997	1700	00/1	5	2088	906	452	\$	1384	3480		926	455	1692	431	61	707	8/	762	134	
ofe yan	212	8 %	_	-	. -	-	- -	-	-	-	-	-		-	. .	-	-	-				-			
Aflocall		PBS	×464	7464	}	20 3	\$ 3	3	7464	251	460	\$	>464	146	\$	455	345	7464	232	47	_	>464	>464	63	
-		VS= 150	-					The same	-	-	-		-	-	1			-	_		報報を	-	_		
	1	HspA	218	5	25	63	28	4	13	341	1550	30	3250	65	3820	51	71	423	247	3	;	2375	1615	0	
+	1	HP H	_	-	_	_	_	_	-	-	_		-	1.	-	_	_	-	1	-	•	-		E	
-	-	Urc	-	,	5	-	0	0	-	1	0	_	0	,	0	-	0	С	-	-	-		•	-	
	H	Cult	-		-	-	-	-	-		1	0	_	1	c	0	0	-	_	•	; 	0	0	0	-
		Giemsa	-		1	-	-	0	-	-	-	-	-		-	-		0	-	-	-	-	_	-	
		Histo-	3 3		6311	313	G321F	G220	0320	G210	G312	G321	1613	;	G333	G211	G211	G321F	G310	9	0220	G333	G310	GH	,
-		95	3 6	,	0	С	c	0	0	0	0	0	-	,	0	0	0	0	0	, (-	o	0	c	,
		Endos.	NGS	200	NUD	RUN	CDN	CDN	CEDIN	NQS	NOD	NOO	NAC	CICIO	CDN	CDN	erosions	NOS	NGS		NGB	CDN	CDN	NGS	5
		Clinical	H.	dyspepsia	dyspepsia	dyspepsia	dyspepsia	dyspepsia	urt. dyspepsia	dyspepsia-	dyspepsia	un GDR	An	dyspepsia	dyspepsia	alt.	dyspepsia	dyspepsia	uñ.	dyspensia	dyspepsia	anaemic(?)	An.	dyspepsia	405
		Sex	+	- 	1	-	0	0	0	0	0	-	. .	5	-	0		_		5	1	0	6	, -	٥
		Age	.	\$	45	44	28	28.	\$2	48	28	ő	3 8	8/	53	ន	\$6	2	i ¥	\rightarrow	43	48	1,5	+	8
		Date		14/04/93	29/06/94	08/04/92	01/12/94	22/06/94	21/04/93	04/11/92	07/12/94	21/04/01	210023	09/11/94	21/07/93	09/12/92	07/12/92	40/21/4	707000	08/00/94	12/05/93	24/05/93	19/12/94	121 - 121	06/02/93
		ş	-	-	7	3	4	0	,	12	23	╁		22	31	32	37	; ;	;	9	49	\$\$	87	3 3	56



27 Hp+/U+ patients

_	١	100	0.30	_	-	T	_	\[\cdot \]		-	-		 o	c	,	_		
	-		-	0.48	0.23		0.35	1	1.28	5	15:1		0.29	× 5		1.54		-
	1	۸S=	0.19/0.27		-	·	_		_		-		-	-	_	-	1	
		نم	F	0.332	2000	203.0	0.278	1	0.317		0.372		0.236	1	0.747	1000	0.251	
_		VS=			-	-	_		_	1	_		_		_			
		į	G S	89	:	-	35		149		>160		20		78		123	
		-3/2	100	-	1	_	1	,	_		_		_		_	-	_	
	ź		NOG	>428		891	ğ	060	800		>928		400		22		>928	
r	JIBA	:	09	Ŀ		_	Ŀ	-	-	-	_				_		_	
	Aflagellate variant N6FIBA		NOG	1038	1020	184	;	40	200	505	2156	3	240		326		357	
	llate var		-8 °	3	-	_		_	-	-	-	-			- 		-	
	Aflage		PBS	13,	7404	134		>404		<u>8</u> 2	95	515	142		167	2	175	`
			-SA	A September				_		_		-	H.	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
			HspA		7.7	72		175		812	١	4830	2	:	,	7	5	À.
			HP		1	-	•	_		_	.	_	-		-	_		-
		_	J.		0	-	•	-		_	1	-	-	<u> </u>	ŀ	_	•	_
	5	Ë	Ş		_	-	•	0		_		-	٩	_	-	_		_
			Giemsa		0	-	,	-		-		_	_	-				_
			Histo.	4	G322	(,,;)	7770	C222		G212		G222	1.00	175		G121F		333
			'n	00	0	,	∍	<u>_</u>	,	c		c	Ľ	= 		0		¢
		_	Dadin	rategos.	GDN	1600	NOS	200	100	CDN		NG5		NGS		CDN		200
			100	Clinical	dyspensia		vomiting	H	dyspepsia	demonstra	ayspepara	dyspepsia	anaenic	€.	dyspepsia	SDR		95
			,	Š	-	1	0		>	-	-	0	1	_		-		
			$\overline{}$	Age	51	1	37	100	3		3	62		17		51	;]	,
		-	十	Date	06/01/92	-	01/06/94	H	28/08/82		56/00/17	20/04/94		04/11/92		01/11/04	41/11/24	,00000
	- L				-	-		-	-	+		_	-1-	_	-	_	-	_

\$ 8



31 Hp- patients

_	VS=	98	<u>, T</u>	0	c	0	o	0	0	0	0	i o	٥	~		0	0	0	0	_	0	c	, «	>	0	
	11 12	\dashv	5.0	0.03	0.13	0.01	90.0	20.0	0.02	0.00	0.00	80.0	500	9	00:0	60.03	0.01	0.00	0.00	0.38	000	5	10:0	3	0.03	
	\vdash	127	9	0	0	С	c	0	0	0	0	0	, C	;	G	0	o	0	0	-	c	, ,	=	٥	0	
	نه	-+-	0.158	0.1	0.173	0.168	0.107	0.152	\$60.0	0.176	0.135	0.113	21.0	0.17	0.133	0.153	0.13	0.119	0.143	0.227	0.069	700.0	0.115	0.17	0.189	
	VS=	00	-	0	0	c	0	0	0	0	0	c			c	0	0	c	c	, c) c	=	c	c	C	
	ن	S S	6	64	æ	8	0	- -	4	ی			7 /	^	4	ص	c			L		>	-	œ	s	
	- - - - - - -	8	0	0	0	6	c	, c	,	. -	, c	, ,			•		0	c	, c			>	0	0	0	-
Y Z		DOO	41	0	<u>~</u>	c	, c	, 8	3 2	5 8	3 3	3 8	77	219	<u> </u>	<u>ş</u>	_	7	, 6		4	=	∞	68	e.	$\frac{1}{2}$
EIR A	-3/\	9 9	0	0	٥	, c) c			; <	> <	} •	0		0			: <		2		-	_	0	0	<u>'</u>
A State Man Andrew NIKETB A	utalit ivo	NOG	7	0	r	, <	9	> \$	⊋ ;	7 7	2 :	2	7	<u>5</u>	0	g		, ,	7 :	= ;	98	2	£.	33	1	<u>`</u>
1	callate ve	80 80	0	9	. c	,		5 (= <	0	5 6	>	0		0	100		} '	-		0	0	0	0	-	<u>}</u>
1	Atia	PBS	34	٥	, =	2 6	5	5	\$	* S	£ :	8	4	122	0	=	=	= -	_	7	20	9	٥	12	+	-
		VS=	0	٥		= (⇒ ·	> 	0	o .	0	0	0	c	0	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	> c	>	0	0	0	_	C	-	+	
ļ		HspA	23	ď	٤	2		4	7	2	8	88	0	15	0	1	-	4	14	∞	32	6	4	14	+	
-		НЪ	0	-	>	+	-+	0	-	-+	+	0	0	0	0	+	-+		0	0	0 0	0 0	0	╁╌	+	0
-	Ь	Cult Uro	0	٠	+	+	+	0	0	+		0 0	0 0	0		+	$- \downarrow$		0	0	0	0	c	, .		
-	HP		0	+	+	\dashv		\dashv	0	0	0	0	0	0	-	_	-		0	0	0	0	-	, ,	5	٥
-		Giemsa	-	-	4		<u> </u>	°	_	-	_		-		+	-	_	-a	al	<u></u>	lal	1-2	-	 	ם	lar
		Histo-	leamon		norma	normal	normal	normal	normal	normal	norma	поппа	normal	normal		nonita	normal	normal	normal	nomal	normal	normal	- Carron		normal	nomal
		/DD	3 6	,	0	٥	0	¢	0	٥	0	5	0	0	,	∍	С	٥	0	2	0	c	, 6		0	0
		Endos.	NG		NGD	NO	CON	CDN	CDN	GDN	GDN	NGS	BDN	NGS		NO	NOS	NG O	CGD	GDN	NGB	NGE		100	NOS	ODDN
		Clinical	GDR/urt.	dyspepsia	dyspepsia	dyspepsia	corticoids	dyspepsia	urt. dyspepsia	dyspepsia	dyspepsia	GDR	dyspepsia	urt.	dyspepsia	dyspepsia	urt. dyspepsia	dyspepsia	urt. dvspepsia	SD.	GDR	disconsis	medadekn	dyspepsia	dyspepsia	CDR
		Sex	-	_	_	-	-	-	_	0	-	0	-	Ŀ	-	-	0	-1	1	-	_	-	- :	٥	1	1
		Age	;	\$	%	43	72	65	39	39	74	88	43	;	+	£	40	61	28	51	+-	+	+	37	19	4
		Date	Carolog	28/10/62	02/06/93	17/06/93	23/11/94	15/03/93	16/11/94	25/01/95	13/01/94	14/11/94	31/01/94	21,04/02	CAILCA	07/10/92	27/01/93	09/07/92	10/02/93	24/02/93	06/08/91	9	CA/ID/II	21/07/93	07/01/92	21/10/92
		Š	1	»	14	19	23	21	22	30	8	35	36	;	7	4	47	80	12	52	5	ş ;	5	62	89	72

30



31 Hp- patients

1	0 0 0	<u></u>	Ð	_	, [e	-	,	0	T	0	5	>	0	,	0	0	4	
1	JL.P		0.03	900	3	0.00	00.0	3	0.01		10.0	200	0.117	0.00		0.05	2	3	
	-S^	0.19/0.27	0	-	-	0	٠	0	c	,	0		1	0		0	,	,	
	a:	STAT	0.124	1	0.2	0.139		0.120	7010	0.12.	0.166		0.274	0.26R		0.246		0.122	
	-SA	œ	0		0	0		0	(>	0		0	٥	,	0		0	
	ن	COR	4		۲	4		7	,	<u>.</u>	,	1	_	-	_	0		°	
	-SA	100	0	,	0	٥	<u>, </u>	0	1	<u> </u>	c	,	0	١	0	0	-	<u> </u>	
N6	2	20	33	;	27	2,5	1	0		=	=	-	38	;	¥ ,	=	:	е	
FIBA	VS=	9	0	,	•	-	,	0	1	0	,	>	0	· ·	• —	6	-	0	-
Aflagellate variant N6FIBA		9	5	;	x 0	5	2	с Ц		4		2	7	:	-53	,	•	• —	
rellate v	-SA	8	•	>	0	,	0	-	,	0	,	>	<	,	c	,	ٔ د	0	
Afla		PBS	!	7]	=	:	3	٥	>	~	•		Ę	1	4	,	n	-	
	700		1	-	0	1	-	٥	-	_	;	<u> </u>	1	>	0	1	<u> </u>	c	,
		HspA		9	3		<u></u>	,	7	22	1	2	;	7	5		m	,	4
L	1	표	+	0	6	+	0	╁	>	-	-	0	+	⊃	0	+	0	5	\dashv
65		Cult	+	0 0	٥	+	0	╀	0 - 0	6		0	+	0	0	+	_ _	+	
-	-		+			+		+	_	-	-	_	\dagger	0		+	0	1	
-		Glemsa	-	0	-	4	°	+		-	-	_	+	_	L	1	_	1	4
		Histo	∢	normal	normal	HOLLING	normal		normal		norma	femore		normai		TOTHER	normal		normal
		/QD	22	0		,	0		0	1	0	-	, 	0	,	>	_		0
		Podoe	TARROS	NGD	1800	מוניוא	NGS	3	NOS		S S	Č	5	g		3	NGS	;	ZG S
		اهماسال	Cillical	dvspepsia	, L	dyspepsia	auc	***	dyspepsia		CDR		oyspepsia	dyspepsia		dyspepsia	a Ci	100	dyspepsia
			Yac O	c	, ,	?	-	-	0		2	ſ	5	0		_	-	-	_
		-	Age -	48	+-	4	,,	7	35	-1	23	1	-	35	4	33	-	*	2
		1	Date	07/04/93		03/02/93	20,111,03	24/11/9.5	11/01/95		30/03/94		13/07/94	13/02/92		21/03/90	0610110	CKITOICO	22/05/92
		:	ġ Z	2	Ì	08	٤	78	××	3	87		5	94		8	3	3	98

38

AUG 11 2004 14:41 FR FINNEGAN HENDERSON 202 408 4400 TO 17033086642# P. 13


Table 6:

Sera of population II

In relation to the presence of Hp (culture and/or

anamatopathologically) and ulcer

				Sensibility	Specificity
			VS=100	44.1% (15/34)	100% (31/31)
		HspA malE	VS=50	52.9% (18/34)	100% (31/31)
			VS=20	64.7% (22/34)	73.8% (25/31)
In relation to			VS=100	94.1% (32/34)	96.8% (30/31)
Hp+ and	N6flbA-	NOG	VS=80	94.1% (32/34)	93.6% (29/31)
DU/GU			VS=60	100% (34/34)	90.3% (28/31)
that is:			VS=100	82.4% (28/34)	93.6% (29/31)
		PBS	VS=80	94.1% (32/34)	93.6% (29/31)
34Hp+/U+			VS=60	97.1% (33/34)	83.9% (26/31)
		JLF Sero	VS=0.30	82.4% (28/34)	96.8% (30/31)
		Pylori Stat		94.1% (32/34)	90.3% (28/31)
		Cobas Core	:	100% (34/34)	93.6% (29/31)



Sera of population II Table 7:

In relation to the presence of Hp (culture and/or

anamatopathologically)

				Specificity	Sensibility
			VS=100	45.9% (28/61)	100% (31/31)
		HspA malE	VS=50	59% (36/61)	100% (31/31)
			VS=20	80.7% (45/61)	73.8% (25/31)
In relation to			VS=100	95.1% (58/61)	96.8% (30/31)
<u>Hp+</u> :	N6flbA-	NOG	VS=80	95.1% (58/61)	93.6% (29/31)
-34 DU/GU			VS=60	100% (61/61)	90.3% (28/31)
-27 GNU			VS=100	85.3% (52/61)	93.6% (29/31)
that is:		PBS	VS=80	93.4% (57/61)	93.6% (29/31)
61 Hp+			VS=60	96.7% (59/61)	83.9% (26/31)
31 Hp-		JLF Sero	VS=0.30	78.7% (48/61)	96.8% (30/31)
	,	Pylori Stat		93.4% (57/61)	90.3% (28/31)
		Cobas Core		93.3% (60/61)	93.6% (29/31)

^{*}Serum = VS

P. 15 09/015078



Table 8:

Sera of population II

In relation to the presence of Hp (culture and/or

anamatopathologically) and the absence of an ulcer

				Specificity	Sensibility
			VS=100	48.2% (13/27)	100% (31/31)
		HspA malE	VS=50	66.7% (18/27)	100% (31/31)
			VS=20	85.2% (23/27)	73.8% (25/31)
In relation to			VS=100	96.3% (26/27)	96.8% (30/31)
Hp+ and	N6flbA-	NOG	VS=80	93.6% (26/27)	93.6% (29/31)
GNU that is:			VS=60	100% (27/27)	90.3% (28/31)
			VS=100	88.9% (24/27)	93.6% (29/31)
27Hp+/U-		PBS	VS=80	92.6% (25/27)	93.6% (29/31)
			VS=60	96.3% (26/27)	83.9% (26/31)
		JLF Sero	VS=0.30	74.1% (20/27)	96.8% (30/31)
		Pylori Stat	-	92.6% (25/27)	90.3% (28/31)
		Cobas Core	;	96.3% (26/27)	93.6% (29/31)



Mean and standard deviation of the A.U.'s in the 3 groups of patients Table 9:

		Hp- (n=31)	Hp+/U- (n=27)	Hp+/U+ (n=34)
Hsp A	mean	10.61	<u>775.72</u>	<u>770.32</u>
	standard			
	deviation	8.81	1312.56	1666.52
N6f1BA- (NOG)	<u>mean</u>	<u>17.16</u>	895.50	944.85
	standard			
	deviation	26.69	818.57	915.27



Mean and standard deviation of the A.U.'s in terms of gastric histology Table 10:

	P.Stat	0.08	0.32	0.31	0.35						
Activity	NOG	712 680	938 876	796	1402 1174			-		-	
	Hsp A	2052	479	733 1382	1302 1629	Activity	15	25	12	6	0
	P.Stat		0.30	0.09	0.43		lon				
Inflammation	NOG		<u>577</u> 466	780	1132	E	Intlammation 0	21	33	7	0
Infl	Hsp A		437	27.039 gr. 1655	1742		Atrophy	٤	28	22	-
	Cag A		El 22	188 200	554 607		_			-	
	P.Stat		0.26 0.07	0.30	0.36 0.08		Distribution		1	1 00	, 4
Atrophy	NOG		390	730	1403 1012		Hp+:				
	Hsp A	•	1004	964 964 964	1321 2059		61 H				
		Mean	deviation) Mean (standard	deviation) Mean (standard	deviation) Mean (standard	deviation)					
	Intensity	0	=	7	W						



Means of the A.U.'s in terms of gastric histology

Table 11:

_				T									
		P.Stat	0.32	$\frac{0.34}{0.10}$	0.09	0.35							
	Activity	NOG	697	1015 1050	827 835	1316 1040		Activity	9	13	9	9	0
		Hsp A	1292 2619	<u>599</u> 1298	329	911 1502		Act		-			
	,	P.Stat		0.30	0.33	0.09		Inflammation	0	10	19	S.	0
	Inflammation	DON		<u>511</u> 451	845 813	2194 1006		-					
	II	Hsp A		438	586 1820	2133 1989		Atrophy	c	1	17	6	-
		P.Stat		0.25	0.32	0.41		Distribution	•	-	2	1 60	4
	Atrophy	NOG		326	784	1060					J		1_
		Hsp A		121 118	304	2004		34 Hn+/II+:	2				
	For HP+/U+		Mean	deviation) Mean (standard	deviation) Mean (standard	deviation) Menn (standard	deviation)						
		Intensity	0	-	7	m							

AUG 11 2004 14:43 FR FINNEGAN HENDERSON 202 408 4400 TO 17033086642# P. 20



Table 12: Sera which are able to exhibit cross reactions

 P^{\perp}

Legionella+	Titre	N6	VS=100	N6flBA-	VS=60	HspA	VS=100
A	P2 P3 =256	0	0	4	0	47	0
В	P4 P5 =64	>928	1	641	1	42	0
C	P2 P3 =128	212	1	87	1	68	0
D	P2 P3 =64	70	0	19	0	15	0
E	P1=256 /P2=512	>928	1	239	1	258	1
F	P2 P3 P4 P5 =	322	1	121	1	41	0
•	128						
G	P1=512 /P6=1024	>928	1	193	1	121	1
				479	1	18	0
H	P4 P5 =64	>928				25	0
I	P2=128 /P3=64	33	0	17	0		
J	P2=256 /P3=128	16	0	8	0	32	0

AUG 11 2004 14:44 FR FINNEGAN HENDERSON 202 408 4400 TO 17033086642# P. 21

Table 12 (continued): Sera which are able to exhibit cross reactions

Chlamydia +	Titre	N6	VS=100	N6flBA-	VS=60	HspA	VS=100
A	256	5	0	8	0	25	0
				9	0	34	0
В	256	7	0	9			
С	64	636	1	290	1	39	0
D	256	367	1	225	1	19	0
E	32	>928	1	855	1	19	0
F	128	>928	1	783	1	27	0
G	32	115	1	55	0	15	0
H Twar	16	19	0	10	0	14	0
I	32	>928	1	592	1	>928	1
J Twar	64	610	1	280	1	44	0

Campylobacter +	N6	VS=100	N6flBA-	VS=60	HspA	VS=100
A	35	0	28	0	17	0
В	13	0	4	0	27	0
C	50	0	68	1	89	0
				<u></u>	<u> </u>	<u></u>

AUG 11 2004 14:44 FR FINNEGAN HENDERSON 202 408 4400 TO 17033086642# P. 22

87 sera from population I tested with the n-octyl glucoside Table 13:

extract of the aflagellate strain

No. of serum	HspA	VS 150	JLF	VS 35	WB JLF	interp	WB	Нр	Nofil	SA-
	-		sero				Bioptim		NOG	VS=60
572	35	0	21	0	2p	-	+	0	128	
573	11	0	46	1	3р	+	-	1	229	1
574	11	0	3	0	1p		-	0	9	0
575	0	0	63		3p		-	0	166	in the late
576	121	0	19	0	3p		+	0	246	
577	0	0	1	0	0	•	-	0	3	0
578	6	0	4	0	0		-	0	24	0
579	2630	1	114	1	3p	+	•	1	>464	1
580	721	1	125	1	4p	+	-	1	>464	1
581	0	0	2	0	0	T -	-	0	2	0
582	0	0	2	10	1p	+	-	0	6	0
583	0	0	3	0	2p		-	0	27	0
584	36	0	1	0	2p	+	 -	0	12	0
585	2114	1	125	1	4p	+	+	1	>464	1
587	19	0	2	0	2p	+	 -	0	11	0
588	1388	1	58	1	3p	+	-	1	>464	1
589	323	1	3	0	4p		+	0	>464	79. 24
591	4	0	4	0	2p		-	0	9	0
592	6	0	0		2р	-	+	0	9	0
593	44	0	28	0	Зр			1	3	
595	76	0	78	1	4p	+	+	1	>464	1
597	0	0	0	0	0		-	0	9	0
599	49	0	125	1	4p	+	+	1	>464	1
600	0	0	3	0	0	-	-	0	3	0
601	6	0	1	0	0		 -	0	6	0
602	0	0		- 0	0	+	 .	0	0	0




Table 13 (continued): 87 sera from population I tested with the n-octyl glucoside

extract of the aflagellate strain

io, of serum	HspA	VS 150	JLF	VS 35	WB JLF	interp	WB	Нр	Nefil	A-
o, or seram	Lapit		sero				Bioptim		NOG	VS=60
	11	0	0	0	0	-		0	10	0
605		_			0	 	<u> </u>	0	9	0
608	5	0	5	0				-	13	0
609	308	1	8	0	0		-			1
610	2370	1	111	1	4p	+	-	1	>464	1
612	477	1	34	0	4p		+	0	422	
613	46	0		0	0	-	-	0	3	0
616	741	1	73	1	4p	+	+	1	>464	1
		1	125	1	4p	+	+	1	286	1
617	1725		l		<u> </u>	+-	+	+ 1	>464	1
618	426	1	101	1	4p			1	>464	1
621	0	0	82	1	4p	+	+			
622	15	0	6	0	2р	-	-	0	25	0
624	411	1	110	Element State	4p	And the same of th	+	0	>464	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
626	46	1-0-	11		lp	11	iavi i ta kaj	1	53	
627	0	0	48		1p		· ·	1	27	
629	6	0	2		0	-	-	0.	2	0
_			21	0	2p	+		0	92	
631	31	0					 -		22	0
632	0	0	3	0	0			1	>464	+
633	285	1	104	1	3p	+	+			1
634	48	0	69	1	4p	+	-	1	>464	
636	523	1	33	0	2р	•	-	1	71	1

AUG 11 2004 14:45 FR FINNEGAN HENDERSON 202 408 4400 TO 17033086642#

09/0/5,078

Table 14: 87 sera from population I tested with the n-octyl glucoside extract of the aflagellate strain

No. of serum	HspA	VS 150	JL F	VS 35	WB JLF	interp	WB	Нр	N6fl	3A-
Mr or serom			Sero				Bioptim		NOG	VS=60
638	922	1	36	1	3p	+	+	1	>464	1
641	- 0	0	6	0	lp	 	-	0	8	0
		0	8	0	- lp	 		0	29	0
645	29				1p	 		0.	4	0
647	0	0	2	0		ļ		10	12	0
649	5	0	5	0	0	•		+ 0	3	0
650	6	0	0	0	0	-	-			0
654	0	0	1	0	0	Ī -	-	0	4	
655	49	0	59	1	2p	-	·	1	229	1
656		0	3	0	0	-		0	8	0
657	363	1	105	1	4p	+	+	1	>464	1
	0	0	8	10	1p	 -		10	8	0
658					0	 	 		3	0
659	0	0	3	0	<u> </u>		 _		40	0
662	73	0	3	0	2p				103	The second
663	25	0	21	0	2p	-	<u> </u>	0		
467	86	0	26	0	4p	114.	-	0	96	
468	32	0	68	1	4ρ	+	+	1	>464	1
469	265	1	118	1	3p	+	+	1	>464	1
470	734	1	77		2p	-/+	+	0	>464	
471	214	1	100	1	4p	+	-	1	>464	1
472	4	0	5		0	+-	+	0	0	0
473	1023	 	55	1	3р	+	-	1	>464	1
	1023		10	0	0	-	+-	0	21	0
474		0	13	- 0			+	0	210	Transport
475	9		1	1	4p	+	+	1	>464	1
476	2611		74				- - · ·	0	1	0
478	0	0	0	0	0	-	-	l v		

AUG 11 2004 14:45 FR FINNEGAN HENDERSON 202 408 4400 TO 17033086642# P. 25



Table 14 (continued): 87 sera from population I tested with the n-octyl

glucoside extract of the aflagellate strain

No. of serum	HspA	VS 150	JLF	VS 35	WB JLF	interp	WB	Hp	Neft	BA-
vg. or serum	Пэрс	10.200	Sero				Bioptim		NOG	VS=60
479	175	1	9	0	4p			0	348	
480	0	0	1	0	0	-	-	0	7	0
481	800	1	92	1	3р	+	+	1	425	1
482	0	0	$\frac{1}{1}$	0	0	+		0	8	0
	-	-0	39	1	3р	+	+	1	>464	1
483		0	3	-	0				20	0
484	0			0	0	+	 	 0	11	0
485	0	0	1						6	0
486	0	0	2	0	0	-		0	198	
725	0	0	7	0	0					dia di
730	190	1	45	The state of the s	1 p	T :	-	0	372	
732	0	0	10	0	1p	-	-	0	145	
735	0	0	30	10	2p	1	1	1	143	1
736	0	0	0	0	0	-	 	0	0	0
737	25	0	102	1	4p	+	† -	1	155	1
738	2233	1	. 125	1	4p	+	 - -	1	>464	1
739	79	0	33	- 0	1p	+-	+	0	274	

09/8/5,078



Table 15: Documented sera from population 1

42 Hp + sera

		_		,							_	-		Т	7	-	7			Т	1	Т	Т	٦									/		
09=SA	-		-	-	-	-	_		-	-	-		-		-	-	-		1	-	-	-	-	-											
SOS		¥94	216	272	452	148	213	>464	>464	>464	394	180	>464	297	>464	>464	437	\$\$	1464		1	>404	7464	328											
10-31	10-01	-	_	-	-		1	-	-	-		1	1		-	-	-	-	-				Г	· · · · · · · · · · · · · · · · · · ·					1 ulcer)	loor)	ilcer)				
	JLF Sero	_	10.42	1 30	0.87	110	1.26	0.83	0.87	2	0.23	0.91	1 39	0.69	1.12	2.7	1,68	1.00	0.30	1.7	2.5	2.4	2.5	0.14					Dundang		Gastric				
	НР	-			-	-	- -	- -	-		-	-		-		-	-	-	7. A. S.	_	-		-	-			tritis	tus hernia	114	er (DU =	 0.5)	odenitis	Ibitis	Oesophagitis	
	Cult.	-	-	- -	- -	-	-	-	-	-	- -	- -	-	-	-	-	- -	-		-	1		-	- -			Gas	Hia		20		Ωď	Bul	ö	
BACTERIOLOGY	Urea	-	-		-		- 6		-		-\-	-		- -	- -	-	-		_	-				- -			اا	11	l = 1	n=		D=	R/Bulb =	=0	
B	Gram		7	-	_	-	-	-		-	-	_	-	-	-	-	0	-	-	-	-	_		_	-		P	:i							
THO! OGY	High	a comme	5	0	G	Ð	O	ပ	P	Ŋ	n	ပ	υ	0	Ü	Ð	5	O	٣	2	5 (5	Ď	Ö	Ð		Legend								
ANAMATOPATHOLOGY	Ciemes	Oleinsa	0	0	0	0	0	0	0	0	0	1	_	_	-	1	1	-		_	-		-	-	1										
	H. Co.	- Constant	C, H	U	G (mini)	G. B	D	Ü	Ð	n	þ	Ð	Ö	9	Ö	Ü	٣	9	5	5	H, G, B	o	H'n	ant. bu. U	bulb. U										
,	Date of		01/10/60	02/05/60	15/02/32	10/12/52	11/08/53	17/01/70	14/01/59	23/10/25	06/07/64	09/11/60	11/06/46	24/04/50	13/05/58	01/12/45	80/00/10	01/02/00	00/00//7	19/12/63	04/02/19	12/02/16	09/11/65	24/01/16	01/06/65										
	ć	X N	-		,	-	, ,	-	,	1	-	-		. -	-	,	,	7,	7	_	7	2	-	-		-									

09/015,078



Table 15 bis: Documented sera from population I

42 Hp + scra

	Г	_	1	Т	-T	\neg	7	Т	7	1	Т	7	Т	Т	Т	J	Т	1	T	T	7								
VS=60	-	-	-		-	-	-	-	_	_			-		-	-	-	-	-		-				,				
NOG	>464	7464	101	312	>464	>464	>464	183	>464	7464	>464	214	7464	449	283	121	>464	386	>464	7464	7.1								
VS=0.3	-			_	-	1		-	_	-	1	-	1	-	を を は は ない	1	-		1	1					l ulcer)	lcer)			
T.F. Sero	200 177	5	1.73	0.46	0.7	1.05	0.42	78.0	0.78	0.81	==	0.8	1.25	6:0	0.25	0.31	1,2	0.3	89'0	1.2	0.25				: Duodena	- Gastric u		Bulbitis	
	dr		_	-	-		-	. -		-	-	-	-	-	-	-	<u> </u> -	-	. -	-	.		Gastritis	tus hernia	er (DU=	(GU	odenitis	lbitis	sopnagius
1 1	Cult.		-	_	-	-	- -	_ _	1	-	-	- -		- -	1	- -	-	- -	\- - -	-			Gas	Hia	oID		Ď	Bu	క్ర
1010	g													_ _	. .	_ .	_ _	_ .	_		_ _							11	
BACTERIOLOGY	n Urea	0					2		-	1						+		1	+	+	1	_	נו	 - -	= 1)	D=	B/Bulb	0
	Gram	-	-	╬	-		0	7	1	-	-	-	7	1									_	.,				, .	
THOLOGY	Ilisto	٣	1	2	ی	G	5	5	S)	Ö	5	D)	5	Ü	3	G/U	preatroph. G	GDU	n	D	P	DO	Legend	202					
ANATOMOPATHOLOGY	Giemsa	-	1		1	1	1	1	1	-	-	-	-	-1	-	-	-1	1	1	-	-	1		٠					
	Endos.	11 10	ogin. o	G, hulb U	Ď	U	0	ჟ	G	9	Ð	C, DU	ŋ	c, bu	Ð	G, U	0	O, DU	DO	CU	CDC	c, U							
Date of	birth	2000	05/03/42	13/09/30	06/07/72	15/04/41	12/05/43	04/05/65	06/11/74	02/10/45	12/06/58	12/08/45	21/08/43	28/01/61	28/10/59	08/04/47	29/01/47	15/05/55	10/06/61	18/10/56	01/10/44	09/07/38							
	Şex		-		1	_	-	-	-	-	2	2	-	2	-	-	-	-	-	_	CA	_							
5	5 5		37191	38683	9163	7051	3773	7478	6436	6502	12230	1105	8631	10105	12101	16779	02096	0.77	05110	62720	67767	205855							

S. W.

086642# P. 28 09/815078



Documented sera from population I Table 16:

55 Hp- sera

Date of		ANATOMO!	ANATOMOPATHOLOGY	Ŕ	BACLERIULOGI	15	II	JLF Sero.	VS=0.3	00Z	VS=60
	Endos.	Giemsa	Histo	Gram	Urea	Culf.	-	0.02	0	9	0
1	5	0	Ulcerated	0	o	^		9	100	>464	The second secon
14105/20	c	0	Ð	0	0	0 (1.19		99	
03/01/37	0	0	ß	0	٥	3 0		1.02		304	
02/05/48	O	0	· D	0		> =	ない のは はない	680		>464	
14/10/63	D	0	S	٥			o	0.04	0	4	
154	ß	0	0	٥		0	0	0.01	0	2	O CONTRACTOR
146	D	0	5			0		0.21	٥	8	
021	min. U	0	5	0		, -	0	0.05	0	4	V
60/8	G,U,B	0	C	٥		, ,		0.07	0	65	A STATE OF THE STA
33/32	ŋ	0	D	- : - :		c	0	80.0	0	26	><
44	O	0	Ċ	<u>.</u>			0	0.02	٥	0	
07/93	RAS	0	0			,	C	0.03	0	٥	5
24/08/14	Q, U	0	g			,	-	10:0	0	22	
101/32	ت	0	b			,	6	0.07	C	26	0
24/10/60	Ö	0	G+hypemlasia			0		0.07	0	901	
15/12/15	ŋ	0	G+intest.	> 	>	,		200	Name of Street	>464	
9	14 Pacie	c	min. G	0	0	0	7.5.2	0.37	0	0	0
10/0/121	Cical. O		O uim	0	0	0		70.07		-	0
18/90/	KAS	٥	2 1	*	c	0	0	0.17	>\	,	c
101/11	Ö		The state of		=	0	0	0.06	0		c
2/150/2	0	5	Linn.		-	0	0	0.03			
16/80/3	Ö	c	min. G			c	0	0.03	0	¥ (
13/01/49	cicat. U	0	min. G	5		٥	0	0.04	0	21 	>
/08/1R	D. C	0	gast.	ခ —	> 	>				1	A CONTRACTOR OF THE PARTY OF TH
3	;		hypotrophia		,	<	1	0.88		>464	
16/02/42	Normal	0	Normal	0			0	0.1	0	52	
09/02/67	9	0	Normal	0		, -	0	90.0	C	61	
10/10/47	9	0	Normal		> <		A	89.0		195	
301101	0	5	Normal	2		,					



Table 16bis: Documented sera from population 1

55 Hp- sera

MAG





Table 17: Documented population from population I

55 Hp- sera


42 Hp+ sera

	SENSITIVITY	SPECIFICITY
JFL sero	85.7% (36/42)	70.9% (39/55)
NOG 60	97.6% (41/42)	61.8% (34/55)



EXTRACTIONS OF THE AFLAGELLATE STRAIN

	Glycine extraction	n-octyl glucoside extraction	PBS extraction
Recovery	PBS	0.01M PBS	PHS, pH 7.4
Washing	Twice in PBS; 8000 rpm/12 min	Twice in PBS; 8000 rpm/12 min	
Extraction	0.2M acid glycine buffer, pH 2.2, for 15 min and at room temperature gentle agitation 100 mg (wet weight) per 2.5 ml	PBS containing: 1% n-octyl glucoside, pH 7.2 (Sigma Chemical Co.), for 20 min at room temperature	Vortex for 1 min.
Centrifugation	11,000 g for 15 min	23,500 g for 20 min	5,000 g for 10 min
Neutralization	1M NaOH		
Dialysis	PBS, pH 7.2, for 24 h at +4°C cut-off: 10,000	PBS, pH 7.2, for 24 hours at +4°C cut- off: 10,000	PBS, pH 7.2, for 24 h at +4°C cut-off: 10,000
Storage	determination of the concentration storage at -20°C	removal of the insoluble particles storage at -20°C	determination of the concentration storage at -20°



SDS PAGE ON DIFFERENT EXTRACTS OF THE

AFLAGELLATE STRAIN N6 FLBA-

Well	Sample type	Concentration	Sample	Volume
No.	31	μg/ml	Volume/buffer	loaded
7			volume	
1	MW standard		5 + 5/190	10
2	Glycine extract	202.9	60/60	60
3				
4	n-octyl glucoside extract	874	51/39	60
5				
6	PBS 1 extract	539.2	60/20	60
7				
8	PBS 2 extract	77.9	60/20	60
9				
10	MW standard		5 + 5/190	10
11	Glycine extract pellet	2778.7	20/20	20
12				
13	Glucoside extract pellet	972.9	40/40	60
14				
15	Sedimented glycine extract	309.3	60/20	60
16				
17	HspA Mal E	3000	20/20	20
18				
19				
20	Kaleidoscope			20